

Financial Year 2023-24 (Electrical Department)			Annexure-IV		
S No	MATERIAL DESCRIPTIONS	Make	UNIT	UNIT	GST%
1	BULB, 100W, 250V (BC)	Phillips/CG/Havells/Bajaj			
2	FLUORESCENT TUBE,36W X 1.2 mtr.	Phillips/CG/Havells/Bajaj			
3	CFL LAMP, 8/9 WATT, Spiral Type	Phillips/CG/Havells/Bajaj			
4	LED Lumeno 3 W Candle lamp(BC)	Phillips/CG/Havells/Bajaj			
5	LED Lumeno 5 W Ball lamp(BC)	Phillips/CG/Havells/Bajaj			
6	LED Lumeno 7 W Ball lamp(BC)	Phillips/CG/Havells/Bajaj			
7	LED Lumeno 10 W Ball lamp(BC)	Phillips/CG/Havells/Bajaj			
8	S.V.LAMP, 70W (ES)	Phillips/CG/Havells/Bajaj			
9	S.V.LAMP, 70W (T)	Phillips/CG/Havells/Bajaj			
10	S.V.LAMP, 150W (ES)	Phillips/CG/Havells/Bajaj			
11	S.V.LAMP, 250W (ES)	Phillips/CG/Havells/Bajaj			
12	S.V.LAMP, 400W (ES)	Phillips/CG/Havells/Bajaj			
13	S.V.LAMP, 250W (ES)(T)	Phillips/CG/Havells/Bajaj			
14	S.V.LAMP, 400W (ES)(T)	Phillips/CG/Havells/Bajaj			
15	M.H.LAMP, 35W (ES), (T)	Phillips/CG/Havells/Bajaj			
16	M.H.LAMP, 70W (ES)(T)	Phillips/CG/Havells/Bajaj			
17	M.H.LAMP, 250W (ES), (T)	Phillips/CG/Havells/Bajaj			
18	M.H.LAMP, 400W (ES), (T)	Phillips/CG/Havells/Bajaj			
(BALLAST):					
S No	MATERIAL DESCRIPTIONS	Make	UNIT	UNIT PRICE	GST%
1	Copper Ballast For Fluorescent Tube Light, 40w.	Phillips/CG/Havells/Bajaj			
2	Electronic Ballast For Fluorescent Tube Light, 40w,	Phillips/CG/Havells/Bajaj			
3	Ballast For S.V.Lamp, 70w	Phillips/CG/Havells/Bajaj			
4	Ballast For S.V.Lamp, 150w	Phillips/CG/Havells/Bajaj			
5	Ballast For S.V.Lamp, 250w	Phillips/CG/Havells/Bajaj			
6	Ballast For S.V.Lamp, 400w	Phillips/CG/Havells/Bajaj			
7	Ignitor For HPSV/ MH Lamp(70/150/250/400watt)	Phillips/CG/Havells/Bajaj			
8	Ballast For MH Lamp(70watt)	Phillips/CG/Havells/Bajaj			
9	Ballast For M.H.Lamp, 250w	Phillips/CG/Havells/Bajaj			
10	Ballast For M.H.Lamp, 400w	Phillips/CG/Havells/Bajaj			
11	Condensor For HPSV Lamp, 250w	Phillips/CG/Havells/Bajaj			
12	Condensor For HPSV Lamp 400w	Phillips/CG/Havells/Bajaj			
13	Starter For Fluorescent Lamp, 40w	Any ISI/BIS			

COMPLETE FITTINGS:					
S No	MATERIAL DESCRIPTIONS	Make	UNIT	UNIT PRICE	GST%
1	70 Watt HPSV Complete Fittings with lamp (Street Light Fittings)	Phillips/CG/Havells/Bajaj			
2	150 Watt HPSV Complete Fittings with lamp (Street Light Fittings)	Phillips/CG/Havells/Bajaj			
3	250w HPSV Complete Fittings with Lamp (Street Light Fittings)	Phillips/CG/Havells/Bajaj			
4	400w HPSV Complete Fittings with Lamp (Street Light Fittings)	Phillips/CG/Havells/Bajaj			
5	70w HPSV Complete Fitting with Lamp (Integral Flood Light Fittings)	Phillips/CG/Havells/Bajaj			
6	150w HPSV Complete Fitting with Lamp (Integral Flood Light Fittings)	Phillips/CG/Havells/Bajaj			
7	250w HPSV Complete Fitting with Lamp (Integral Flood Light Fittings)	Phillips/CG/Havells/Bajaj			
8	250w HPSV Complete Fittings with Lamp (Non-Integral Flood Light Fittings)	Phillips/CG/Havells/Bajaj			
9	400w HPSV Complete Fittings with Lamp (Integral Flood Light Fittings)	Phillips/CG/Havells/Bajaj			
10	400w HPSV Complete Fittings with Lamp (Non-Integral Flood Light Fittings)	Phillips/CG/Havells/Bajaj			
11	70 watt MH Complete Fittings with Lamp (Integral Flood Light Fittings)	Phillips/CG/Havells/Bajaj			
12	250 watt MH Complete Fittings with Lamp (Non-Integral Flood Light Fittings)	Phillips/CG/Havells/Bajaj			
13	250 watt MH Complete Fittings with Lamp (Integral Flood Light Fittings)	Phillips/CG/Havells/Bajaj			
14	400 watt MH Complete Fittings with Lamp (Integral Flood Light Fittings)	Phillips/CG/Havells/Bajaj			
15	401 watt MH Complete Fittings with Lamp (Non-Integral Flood Light Fittings)	Phillips/CG/Havells/Bajaj			
16	Flu. Tube Light Frame without accessories,36w X 4 Ft.	Phillips/CG/Havells/Bajaj			
17	Flu. Tube Light Complete Fitting,40w X 4 Ft with Tube	Phillips/CG/Havells/Bajaj			
18	Bulkhead Fitting, With LED Lamp 9 Watt	Phillips/CG/Havells/Bajaj			
19	LED Whites 50 watts IP 65 Flood light cool	Phillips/CG/Havells/Bajaj			
20	LED Whites 50 watts IP 66 Flood light cool	Phillips/CG/Havells/Bajaj			
21	Non-Integral Well Glass Industrial Fittings, 70 W, H.P.S.V.	Phillips/CG/Havells/Bajaj			
22	Integral Well Glass Industrial Fittings, 70 W, H.P.S.V.	Phillips/CG/Havells/Bajaj			
23	Non-Integral Well Glass Industrial Fittings, 150 W, H.P.S.V.	Phillips/CG/Havells/Bajaj			
24	Road lighting 25W LED 5000K (Complete) suitable for pole dia 35 mm	Phillips/CG/Havells/Bajaj/Moserbaer			
25	Road lighting 30W LED 5000K (Complete) suitable for pole dia 40 mm	Phillips/CG/Havells/Bajaj/Moserbaer			
26	Road lighting 48W LED 6000K (Complete) suitable for pole dia 35 mm	Phillips/CG/Havells/Bajaj/Moserbaer			
27	40W LED Flood Light 6500Kcool white (Complete)	Phillips/CG/Havells/Bajaj/Moserbaer			
28	350W LED Flood Light fittings 5700K cool white (Complete)	Phillips/CG/Havells/Bajaj/Moserbaer			
29	LED Tube Light 18w complete fittings	Phillips/CG/Havells/Bajaj			
30	Ceiling Fan 1200 sweep,230V(Copper Winding)Complete	Phillips/CG/Havells/Bajaj			
31	Exhaust Fan 225 sweep,230V(Copper Winding)Complete	Phillips/CG/Havells/Bajaj			
32	Exhaust Fan 300 sweep,230V(Copper Winding)Complete	Phillips/CG/Havells/Bajaj			
33	Wall mounted Fan 400 sweep,230V(Copper Winding)Complete	Phillips/CG/Havells/Bajaj			
34	Pedestal Fan 400 sweep,230V(Copper Winding)Complete	Phillips/CG/Havells/Polar			

ELECTRICAL ACCESSORIES					
S No	MATERIAL DESCRIPTIONS	Make	UNIT	UNIT	GST%
1	5amp, Flash Type Switch	Cona/Anchor/Havells			
2	5amp, Flash Type Socket,2pin	Cona/Anchor/Havells			
3	5amp, Flash Type , 5pin , Two-In-One Socket	Cona/Anchor/Havells			
4	15amp Flash Type Switch	Cona/Anchor/Havells			
5	15amp Flash Type Socket,3 Pin	Cona/Anchor/Havells			
6	15amp Flash Type Socket,6 Pin	Cona/Anchor/Havells			
7	15amp Flash Type Switch & Socket Combination With Fuse & Indicator	Cona/Anchor/Havells			
8	3pin Top, 5amp	Cona/Anchor/Havells			
9	3pin Top, 15amp	Cona/Anchor/Havells			
10	Telephone Socket & Plug	Cona/Anchor/Havells			
11	Angle Batten Holder	Cona/Anchor/Havells			
12	Straight Batten Holder	Cona/Anchor/Havells			
13	Pendent Holder	Cona/Anchor/Havells			
14	Pendent Holder,(ES-Type),Porcelain Type 100watt	Any ISI/BIS			
15	100watt, Base Type Porcelain Holder,(ES-Type),	Any ISI/BIS			
16	Bell Push Switch, Box Type	Cona/Anchor/Havells			
17	Bell Push Switch, Flush Type	Cona/Anchor/Havells			
18	Base type Holder For 500 Watt porceilin(ES-Type), suitable for Sv/Mv Lamp Fitting	Any ISI/BIS			
19	Pendent Holder For 500 Watt porceilin ES-Type, suitable for Sv/Mv Lamp Fitting	Any ISI/BIS			
20	Ceiling Rose	Cona/Anchor/Havells			
21	Holder For Flu. Tube Light , Rotary Type	Phillips/CG/Havells/Bajaj			
22	Holder For Flu. Tube Light , Push Type	Phillips/CG/Havells/Bajaj			
23	Steel Grip Tape, 1/2" Size, 10 Mtr. Long.	Any ISI/BIS			
24	Empire Tape, 1" Size, 10 Mtr. Long	Any ISI/BIS			
25	Glass Tape, 1" Size, 10 Mtr. Long	Any ISI/BIS			
26	COTTON TAPE 25mm, 10 MTR. LONG	Any ISI/BIS			
27	Taflon Tape, 10 Mtr. Long	Any ISI/BIS			
28	Buzzer	Cona/Anchor/Havells			
29	Musical calling Bell	Cona/Anchor/Havells			
30	Iron Clad Socket With Top, 25amp MCB, 2pole Complete	Any ISI/BIS			
31	Condenser, 2.5 Mfd	Phillips/CG/Havells/Bajaj			
32	Condenser, 4 Mfd	Phillips/CG/Havells/Bajaj			
33	Condenser, 10 Mfd				
34	Condenser, 25 Mfd, 230v	Phillips/CG/Havells/Bajaj			
35	Condenser, 35 Mfd, 230v	Phillips/CG/Havells/Bajaj			
36	Condenser, 40 Mfd, 230v	Phillips/CG/Havells/Bajaj			
37	Condenser, 45 Mfd, 230v	Phillips/CG/Havells/Bajaj			
38	Condenser, 50 Mfd, 230v	Phillips/CG/Havells/Bajaj			
39	Condenser, 80 Mfd, 230v				
40	Condenser, 100 Mfd, 230v	Phillips/CG/Havells/Bajaj			
41	Starting Condenser, 100-120 Mfd, 230v	Phillips/CG/Havells/Bajaj			
42	Starting Condenser, 120-150 Mfd, 230v	Phillips/CG/Havells/Bajaj			
43	Starting Condenser, 150-200 Mfd, 230v	Phillips/CG/Havells/Bajaj			
44	Starting Condenser, 200-250 Mfd, 230v	Phillips/CG/Havells/Bajaj			
45	Electronics Regulator Step typeDimmer(Switch Type)	Cona/Anchor/Havells			
46	Electronics Regulator Step typeDimmer(Socket Type)	Cona/Anchor/Havells			

MAIN SWITCH & ASSESORIES:					
S No	MATERIAL DESCRIPTIONS	Make	UNIT	UNIT PRICE	GST%
1	I.C.Main Switch, 2 Pole, 16amp	Havells/L & T/Standard			
2	I.C.Main Switch, 2 Pole, 30/32amp	Havells/L & T/Standard			
3	I.C.Main Switch, 2 Pole, 63amp	Havells/L & T/Standard			
4	I.C.T.P.N. Main Switch, 32amp	Havells/L & T/Standard			
5	I.C.T.P.N. Main Switch, 63amp	Havells/L & T/Standard			
6	I.C.T.P.N. Main Switch, 100amp	Havells/L & T/Standard			
7	MCB, Single-Pole, 3 Amp	Havells/ABB/Anchor/L&T			
8	MCB, Single-Pole, 4/5 Amp	Havells/ABB/Anchor/L&T			
9	MCB, Single-Pole, 6 Amp	Havells/ABB/Anchor/L&T			
10	MCB, Single-Pole, 10 Amp	Havells/ABB/Anchor/L&T			
11	MCB, Single-Pole, 16 Amp	Havells/ABB/Anchor/L&T			
12	MCB, Single-Pole, 20 Amp	Havells/ABB/Anchor/L&T			
13	MCB, Single-Pole, 25 Amp	Havells/ABB/Anchor/L&T			
14	MCB, Single-Pole, 32 Amp	Havells/ABB/Anchor/L&T			
15	MCB, Double-Pole, 16 Amp	Havells/ABB/Anchor/L&T			
16	MCB, Double-Pole, 20 Amp	Havells/ABB/Anchor/L&T			
17	MCB, Double-Pole, 32 Amp	Havells/ABB/Anchor/L&T			
18	MCB, Double-Pole, 63 Amp	Havells/ABB/Anchor/L&T			
19	MCCB, 4 Pole 200 Amp.	Havells/ABB/Anchor/L&T			
20	MCCB, 4 Pole 400 Amp.	Havells/L&T			
21	MCCB, 4 Pole 600 Amp.	Havells/L&T			
22	MCB Distribution Box 2 Way, Double Door Type	Havells/ABB/Anchor/L&T			
23	MCB Distribution Box 4 Way, Double Door Type	Havells/ABB/Anchor/L&T			
24	MCB Distribution Box 6 Way, Double Door Type	Havells/ABB/Anchor/L&T			
25	MCB Distribution Box 8 Way, Double Door Type	Havells/ABB/Anchor/L&T			
26	Changeover Switch 4 Pole 32A	Standard/EEE/ABB/L&T			
27	Changeover Switch 4 Pole 63A	Standard/EEE/ABB/L&T			
28	Changeover Switch 4 Pole 100A	Standard/EEE/ABB/L&T			
29	Changeover Switch 4 Pole 200A/250A	Standard/EEE/ABB/L&T			
30	Changeover Switch 4 Pole 400A	Standard/EEE/ABB/L&T			
31	Submersible pump Starter 1 Phase suitable for 2 HP	CRI/CG/KSB or equivalent			
32	Submersible pump Starter 1 Phase suitable for 3 HP	CRI/CG/KSB or equivalent			
33	Submersible pump Starter 3 Phase suitable for 5 HP	CRI/CG/KSB or equivalent			
34	DOL Starter 3 Phase suitable for 15 HP	CRI/CG/KSB or equivalent			
35	DOL Starter 3 Phase suitable for 10 HP	CRI/CG/KSB or equivalent			
36	Landline Telephone (Wired/corded), Hands free (Feature)	Beetel/Panasonic/Motorola/Orpat			

WIRING ACCESSORIES:					
S No	MATERIAL DESCRIPTIONS	Make	UNIT	UNIT PRICE	GST%
1	Wooden Switch Board, 6" X 4" With Mica Sheet	Any ISI/BIS			
2	Wooden Switch Board, 4" X 4" With Mica Sheet	Any ISI/BIS			
3	Wooden Switch Board, 8" X 6" With Mica Sheet	Any ISI/BIS			
4	Wooden Switch Board, 10" X 8" With Mica Sheet	Any ISI/BIS			
5	Wooden Switch Board, 10" X 12" With Mica Sheet	Any ISI/BIS			
6	PVC Switch Board, 6" X 4"	Any ISI/BIS			
7	PVC Switch Board, 4" X 4"	Any ISI/BIS			
	PVC CASING BOX, 3" X3"				
8	PVC Switch Board, 8" X 6"	Any ISI/BIS			
9	PVC Switch Board, 10" X 8"	Any ISI/BIS			
10	PVC Switch Board, 10" X 12"	Any ISI/BIS			
11	PVC Sleeve 3/4" (100nos. each in a Pkt.)	Any ISI/BIS			
12	PVC Sleeve 1" (100nos. each in a Pkt.)	Any ISI/BIS			
13	PVC Sleeve 1x1/2" (100nos. each in a Pkt.)	Any ISI/BIS			
14	PVC Sleeve 2" (100nos. each in a Pkt.)	Any ISI/BIS			
15	Casing Capping, 1/2"	Any ISI/BIS			
16	Casing Capping, 3/4"	Any ISI/BIS			
17	Casing Capping, 1"	Any ISI/BIS			
18	Casing Capping, 1.5"	Any ISI/BIS			
19	Casing Capping, 2"	Any ISI/BIS			
20	P.V.C. Box, 4"X4"	Any ISI/BIS			
21	P.V.C. Flexible Pipe 1/2", Heavy Duty	Any ISI/BIS			
22	P.V.C. Flexible Pipe 3/4", Heavy Duty	Any ISI/BIS			
23	P.V.C. Flexible Pipe 1", Heavy Duty	Any ISI/BIS			

Over-Head Maintenance Materials:

S No	MATERIAL DESCRIPTIONS	Make	UNIT	UNIT PRICE	GST%
1	PVC Phase-Separator For 3-Wire	Any ISI/BIS			
2	PVC Phase-Separator For 4-Wire	Any ISI/BIS			
3	11 KV AB Switch,Breaking capacity 10KA suitable for 11 KV Transmission line,Horizontal Type (complete)	Any ISI/BIS			
4	11 KV AB Switch,Breaking capacity 10KA suitable for 11 KV Transmission line,Vertical Type(complete)	Any ISI/BIS			
5	11 KV AB Switch,Double stack,Breaking capacity 10KA suitable for 11 KV Transmission line,Vertical Type(complete)	Any ISI/BIS			
6	11 KV AB Switch,Double stack,Breaking capacity 10KA suitable for 11 KV Transmission line,Horizontal Type(complete)	Any ISI/BIS			
7	11 KV Pin Insulator with pin , Breaking capacity 10 KN including pin (suitable for Transmission line)	Any ISI/BIS			
8	LT Line porcelain Pin Insulator with pin (suitable for Distribution line)	Any ISI/BIS			
9	11 KV line Post insulator	Any ISI/BIS			
10	11 KV line Polymer Post insulator	Any ISI/BIS			

Hard Ware Materials:					
S No	MATERIAL DESCRIPTIONS	Make	UNIT	UNIT PRICE	GST%
1	Screw Iron Wood, 25 Mm	Any ISI/BIS			
2	Do 20 Mm	Any ISI/BIS			
3	Do 13 Mm	Any ISI/BIS			
4	Wire Nail- 1/2" Size	Any ISI/BIS			
5	Wire Nail- 1 1/2" Size	Any ISI/BIS			
6	Wire Nail- 2" Size	Any ISI/BIS			
7	Wire Nail- 2 1/2" Size	Any ISI/BIS			
8	G.I.Wire, 08 Swg	Any ISI/BIS			
9	G.I.Wire, 10 Swg	Any ISI/BIS			
10	G.I.Wire, 12 Swg	Any ISI/BIS			
11	Machine Screw, 25 Mm	Any ISI/BIS			
12	Do 20 Mm	Any ISI/BIS			
13	Do 13 Mm	Any ISI/BIS			
14	Drill Machine wall Bit (4mm to 12mm)	Any ISI/BIS			
15	Drill Machine Wooden Bit (4mm to 12mm)	Any ISI/BIS			
16	Walkers 1200W 26mm Rotary Hammer Drill Machine With Bit.	Any ISI/BIS			
Group-C					

WIRES:					
S No	MATERIAL DESCRIPTIONS	Make	UNIT	UNIT PRICE	GST%
1	Pvc Single Core Copper Flexible, 0.5 Sq.Mm	Havells/Polycab/Finolex			
2	Pvc Single Core Copper Flexible, 0.75 Sq.Mm	Havells/Polycab/Finolex			
3	Do, 1.0 Sq.Mm	Havells/Polycab/Finolex			
4	Do , 1.5 sq.Mm	Havells/Polycab/Finolex			
5	Do , 2.5 Sq.Mm	Havells/Polycab/Finolex			
6	Do , 4.0 Sq.Mm	Havells/Polycab/Finolex			
7	Do , 6.0 Sq.Mm	Havells/Polycab/Finolex			
8	Pvc,Twin Core Alu., 2.5 Sq.Mm	Polycab/Finolex/Supercab			
9	Do 4.0 Sq.Mm	Polycab/Finolex/Supercab			
10	Do , 6.0 Sq.Mm	Polycab/Finolex/Supercab			
11	Do , 10.0 Sq.Mm	Polycab/Finolex/Supercab			
12	Flexible Twin Twisted Wire 14/76	Any ISI/BIS			
13	4 sq.mm PVC insulated 3 core Flat copper cable suitable for Sub-mersible pump	Any ISI/BIS			
14	2.5sq.mm PVC insulated 3 core armoured copper cable	Any ISI/BIS			
15	35 sq.mm PVC insulated 3* 1/2 core armoured copper cable	Any ISI/BIS			
16	50 sq.mm PVC insulated 3* 1/2 core armoured copper cable	Any ISI/BIS			
17	95 sq.mm PVC insulated 3* 1/2 core armoured copper cable	Any ISI/BIS			
18	150 sq.mm PVC insulated 3* 1/2 core armoured copper cable	Any ISI/BIS			
19	35 Sq.mm Ariel Bunch (A-B) Cable 4 wire with stay wire	Any ISI/BIS			
20	36 Sq.mm Ariel Bunch (A-B) Cable 4 wire with stay wire	Any ISI/BIS			
21	100 Sq.mm Ariel Bunch (A-B) Cable 4 wire with stay wire	Any ISI/BIS			
22	Telephone Cable, Twin Core, Copper (Drop Wire), 0.61 Sq.mm.	Any ISI/BIS			